

ATP5G1 Polyclonal Antibody

Description

Product type	Primary Antibody
Code	BT-AP00737
Host	Rabbit
Isotype	lgG
Size	20ul, 50ul, 100ul
Immunogen	Synthesized peptide derived from the Internal region of human ATP5G1.
Mol wt	14277
Species reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Recommended application	IHC-p, ELISA
Concentration	1 mg/ml
Full name	ATP5G1 Antibody
Synonyms	ATP5G1; ATP synthase lipid-binding protein; mitochondrial; ATP synthase proteolipid P1; ATPase protein 9; ATPase subunit c

This product is for research use only, not for use in human, therapeutic or diagnostic procedure.

Background

ATP5G1 (ATP synthase, H+ transporting, mitochondrial Fo complex subunit C1) encodes a subunit of mitochondrial ATP synthase. Mitochondrial ATP synthase catalyzes ATP synthesis, utilizing an electrochemical gradient of protons across the inner membrane during oxidative phosphorylation. ATP synthase is composed of two linked multi-subunit complexes: the soluble catalytic core, F1, and the membrane-spanning component, Fo, comprising the proton channel. The catalytic portion of mitochondrial ATP synthase consists of 5 different subunits (alpha, beta, gamma, delta, and epsilon) assembled with a stoichiometry of 3 alpha, 3 beta, and a single representative of the other 3. The proton channel seems to have nine subunits (a, b, c, d, e, f, g, F6 and 8). ATP5G1 is one of three genes that encode subunit c of the proton channel. Each of the three genes have distinct mitochondrial import sequences but encode the identical mature protein. Alternatively spliced transcript variants encoding the same protein have been identified.

Recommended Dilution

IHC: 1: 100 - 1: 300 ELISA: 1: 20000 Not yet tested in other applications.

Images No images.

Storage -20°C for one year

> 501 Changsheng S Rd, Nanhu Dist, Jiaxing, Zhejiang, China Tel: 86 21 31007137 | E-mail: save@bt-laboratory.com | www.bt-laboratory.com