

Chk1(Phospho Ser280) Polyclonal Antibody

Description

Product type Primary Antibody

Code BT-AP01643

Host Rabbit

Isotype IgG

Size 100ul, 50ul, 20ul

Immunogen The antiserum was produced against synthesized peptide derived from human Chk1 around the

phosphorylation site of Ser280. AA range:251-300

Mol wt 54420

Species reactivity Human, Rat, Mouse

Clonality Polyclonal

Recommended application WB, ELISA

Concentration 1 mg/ml

Full name CHEK1

Synonyms Serine/threonine-protein kinase Chk1; rad27; CHEK1; CHK1; Serine/threonine-protein kinase Chk1; CHK1

checkpoint homolog; Cell cycle checkpoint kinase; Checkpoint kinase-1

This product is for research use only, not for use in human, therapeutic or diagnostic procedure.

Background


The protein encoded by this gene belongs to the Ser/Thr protein kinase family. It is required for checkpoint mediated cell cycle arrest in response to DNA damage or the presence of unreplicated DNA. This protein acts to integrate signals from ATM and ATR, two cell cycle proteins involved in DNA damage responses, that also associate with chromatin in meiotic prophase I. Phosphorylation of CDC25A protein phosphatase by this protein is required for cells to delay cell cycle progression in response to double-strand DNA breaks. Several alternatively spliced transcript variants have been found for this gene.

Recommended Dilution


WB: 1: 500 - 1: 2000 ELISA: 1: 20000

Not yet tested in other applications.

Images



Western Blot analysis of 293T cells using Phospho-Chk1 (S280) Polyclonal Antibody diluted at 1:500



Western blot analysis of lysates from HeLa cells treated with Hu 2nM 24hours, using Chk1 (Phospho-Ser280) Antibody. The lane on the right is blocked with the phospho peptide.

Storage

-20°C for 1 year

501 Changsheng S Rd, Nanhu Dist, Jiaxing, Zhejiang, China Tel: 86 21 31007137 | E-mail: save@bt-laboratory.com | www.bt-laboratory.com