

c-Fms Polyclonal Antibody

Description

Product type Primary Antibody

Code BT-AP01723

Host Rabbit

Isotype IgG

Size 20ul, 50ul, 100ul

Immunogen Synthesized peptide derived from c-Fms . at AA range: 640-720

Mol wt 107984

Species reactivity Human

Clonality Polyclonal

Recommended application WB, ELISA

Concentration 1 mg/ml

Full name c-Fms Antibody

Synonyms CSF1R; FMS; Macrophage colony-stimulating factor 1 receptor; CSF-1 receptor; CSF-1-R; CSF-1R; M-

CSF-R; Proto-oncogene c-Fms; CD antigen CD115

This product is for research use only, not for use in human, therapeutic or diagnostic procedure.

Background


Macrophage colony-stimulating factor 1 receptor encoded by CSF1R is the receptor for colony stimulating factor 1, a cytokine which controls the production, differentiation, and function of macrophages. This receptor mediates most if not all of the biological effects of this cytokine. Ligand binding activates the receptor kinase through a process of oligomerization and transphosphorylation. The encoded protein is a tyrosine kinase transmembrane receptor and member of the CSF1/PDGF receptor family of tyrosine-protein kinases. Mutations in this gene have been associated with a predisposition to myeloid malignancy. The first intron of this gene contains a transcriptionally inactive ribosomal protein L7 processed pseudogene oriented in the opposite direction. Alternative splicing results in multiple transcript variants.

Recommended Dilution

WB: 1: 500 - 1: 2000 ELISA: 1: 10000

Not yet tested in other applications.

Images



Western Blot analysis of HepG2 cells using c-Fms Polyclonal Antibody

Storage

-20°C for one year