

c-Fos Polyclonal Antibody

Description

Product type	Primary Antibody
Code	BT-AP01729
Host	Rabbit
Isotype	IgG
Size	20ul, 50ul, 100ul
Immunogen	The antiserum was produced against synthesized peptide derived from human FOS. AA range:201-250
Mol wt	40695
Species reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Recommended application	WB, IHC-p, ELISA
Concentration	1 mg/ml
Full name	c-Fos Antibody
Synonyms	FOS; G0S7; Proto-oncogene c-Fos; Cellular oncogene fos; G0/G1 switch regulatory protein 7

This product is for research use only, not for use in human, therapeutic or diagnostic procedure.

Background

The Fos gene family consists of 4 members: FOS, FOSB, FOSL1, and FOSL2. These genes encode leucine zipper proteins that can dimerize with proteins of the JUN family, thereby forming the transcription factor complex AP-1. As such, the FOS proteins have been implicated as regulators of cell proliferation, differentiation, and transformation. In some cases, expression of the FOS gene has also been associated with apoptotic cell death.

Recommended Dilution


WB: 1: 500 - 1: 2000

IHC: 1: 100 - 1: 300


ELISA: 1: 5000

Not yet tested in other applications.


Images




Western Blot analysis of various cells using c-Fos Polyclonal Antibody diluted at 1:2000 cells nucleus.



Western blot analysis of lysates from RAW264.7 cells, using FOS Antibody. The lane on the right is blocked with the synthesized peptide.



Western Blot analysis of 3T3 cells using c-Fos Polyclonal Antibody diluted at 1:2000 cells nucleus.



Western blot analysis of the lysates from COLO205 cells using FOS antibody.

Storage

-20°C for one year

501 Changsheng S Rd, Nanhu Dist, Jiaxing, Zhejiang, China

Tel: 86 21 31007137 | E-mail: save@bt-laboratory.com | www.bt-laboratory.com