

# CYP3A4/5 Polyclonal Antibody

#### Description

Product type Primary Antibody

Code BT-AP02420

Host Rabbit

Isotype IgG

**Size** 20ul, 50ul, 100ul

Immunogen The antiserum was produced against synthesized peptide derived from human Cytochrome P450 3A4/5.

AA range:251-300

Mol wt 57343/57109

Species reactivity Human

**Clonality** Polyclonal

Recommended application WB, IHC-p, IF, ELISA

Concentration 1 mg/ml

Full name CYP3A4/5 Antibody

Synonyms CYP3A4; CYP3A3; Cytochrome P450 3A4; 1; 8-cineole 2-exo-monooxygenase; Albendazole

monooxygenase; Albendazole sulfoxidase; CYPIIIA3; CYPIIIA4; Cytochrome P450 3A3; Cytochrome

P450 HLp; Cytochrome P450

This product is for research use only, not for use in human, therapeutic or diagnostic procedure.

#### Background


CYP3A4 encodes a member of the cytochrome P450 superfamily of enzymes. The cytochrome P450 proteins are monooxygenases that catalyze many reactions involved in drug metabolism and synthesis of cholesterol, steroids and other lipids. This protein localizes to the endoplasmic reticulum and its expression is induced by glucocorticoids and some pharmacological agents. This enzyme is involved in the metabolism of approximately half the drugs in use today, including acetaminophen, codeine, cyclosporin A, diazepam and erythromycin. The enzyme also metabolizes some steroids and carcinogens. CYP3A4 is part of a cluster of cytochrome P450 genes on chromosome 7q21. Previously another CYP3A gene, CYP3A3, was thought to exist; however, it is now thought that this sequence represents a transcript variant of CYP3A4. Alternatively spliced transcript variants encoding different isoforms have been identified.

## Recommended Dilution

WB: 1: 500 - 1: 2000 IHC: 1: 100 - 1: 300 IF: 1: 200 - 1: 1000 ELISA: 1: 10000


Not yet tested in other applications.

### Images



Western blot analysis of lysates from Jurkat cells, using Cytochrome P450 3A4/5 Antibody. The lane on the right is blocked with the synthesized peptide.

Western Blot analysis of Jurkat cells using CYP3A4/5 Polyclonal Antibody



## Storage

-20°C for one year

 $501\ Changsheng\ S\ Rd,\ Nanhu\ Dist,\ Jiaxing,\ Zhejiang,\ China$  Tel: 86 21 31007137 | E-mail: save@bt-laboratory.com | www.bt-laboratory.com