

FAK Polyclonal Antibody

Description

Product type	Primary Antibody
Code	BT-AP03141
Host	Rabbit
Isotype	lgG
Size	20ul, 50ul, 100ul
Immunogen	The antiserum was produced against synthesized peptide derived from human FAK. AA range:892-941
Mol wt	119233
Species reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Recommended application	WB, IHC-p, IF, ELISA
Concentration	1 mg/ml
Full name	FAK Antibody
Synonyms	PTK2; FAK; FAK1; Focal adhesion kinase 1; FADK 1; Focal adhesion kinase-related nonkinase; FRNK; Protein phosphatase 1 regulatory subunit 71; PPP1R71; Protein-tyrosine kinase 2; p125FAK; pp125FAK
	r · · · · · · · · · · · · · · · · · · ·

This product is for research use only, not for use in human, therapeutic or diagnostic procedure.


Background

PTK2 encodes a cytoplasmic protein tyrosine kinase which is found concentrated in the focal adhesions that form between cells growing in the presence of extracellular matrix constituents. Focal adhesion kinase 1 is a member of the FAK subfamily of protein tyrosine kinases but lacks significant sequence similarity to kinases from other subfamilies. Activation of this gene may be an important early step in cell growth and intracellular signal transduction pathways triggered in response to certain neural peptides or to cell interactions with the extracellular matrix. Several transcript variants encoding different isoforms have been found for this gene, but the full-length natures of only four of them have been determined.


Recommended Dilution

WB: 1: 500 - 1: 2000 IHC: 1: 100 - 1: 300 IF: 1: 200 - 1: 1000 ELISA: 1: 20000 Not yet tested in other applications.

Images




Western Blot analysis of various cells using FAK Polyclonal Antibody



Western blot analysis of lysates from HeLa cells, treated with EGF, using FAK Antibody. The lane on the right is blocked with the synthesized peptide.

Western Blot analysis of Jurkat cells using FAK Polyclonal Antibody



Immunohistochemistry analysis of paraffin-embedded human brain tissue, using FAK Antibody. The picture on the right is blocked with the synthesized peptide.

Storage

-20°C for one year

501 Changsheng S Rd, Nanhu Dist, Jiaxing, Zhejiang, China Tel: 86 21 31007137 | E-mail: save@bt-laboratory.com | www.bt-laboratory.com