

# G-CSFR Polyclonal Antibody

## Description

Product type Primary Antibody

Code BT-AP03522

Host Rabbit

Isotype IgG

Size 20ul, 50ul, 100ul

Immunogen Synthesized peptide derived from the Internal region of human G-CSFR.

Mol wt 72766

Species reactivity Human

Clonality Polyclonal

Recommended application WB, ELISA

Concentration 1 mg/ml

Full name G-CSFR Antibody

Synonyms CSF3R; GCSFR; Granulocyte colony-stimulating factor receptor; G-CSF receptor; G-CSF-R; CD antigen

CD114

This product is for research use only, not for use in human, therapeutic or diagnostic procedure.

## Background


Glutamate-cysteine ligase, also known as gamma-glutamylcysteine synthetase is the first rate-limiting enzyme of glutathione synthesis. The enzyme consists of two subunits, a heavy catalytic subunit and a light regulatory subunit. GCLC encodes Glutamate--cysteine ligase catalytic subunit, while the regulatory subunit is derived from a different gene located on chromosome 1p22-p21. Mutations at GCLC have been associated with hemolytic anemia due to deficiency of gamma-glutamylcysteine synthetase and susceptibility to myocardial infarction.

#### **Recommended Dilution**

WB: 1: 500 - 1: 2000 ELISA: 1: 10000

Not yet tested in other applications.

#### **Images**



Western Blot analysis of extracts from Jurkat cells, using G-CSFR Polyclonal Antibody. Secondary antibody was diluted at 1:20000

# Storage

-20°C for one year