

SLP-76(Phospho-Ser376) Rabbit Polyclonal Antibody

Description

Product type Primary Antibody

Code BT-AP04769

Host Rabbit

Isotype IgG

Size 100ul, 50ul, 20ul

Immunogen Synthesized phosho peptide around human SLP-76 (Ser376)

Mol wt N/A

Species reactivity Human, Mouse

Clonality Polyclonal

Recommended application WB

Concentration 1 mg/ml
Full name SLP-76

Synonyms SLP-76 ; Ser376 ; Lymphocyte cytosolic protein 2; SH2 domain-containing leukocyte protein of 76 kDa;

SLP-76 tyrosine phosphoprotein; SLP76

This product is for research use only, not for use in human, therapeutic or diagnostic procedure.

Background

SLP-76 was originally identified as a substrate of the ZAP-70 protein tyrosine kinase following T cell receptor (TCR) ligation in the leukemic T cell line Jurkat. The SLP-76 locus has been localized to human chromosome 5q33 and the gene structure has been partially characterized in mice. The human and murine cDNAs both encode 533 amino acid proteins that are 72% identical and comprised of three modular domains. The NH2-terminus contains an acidic region that includes a PEST domain and several tyrosine residues which are phosphorylated following TCR ligation. SLP-76 also contains a central proline-rich domain and a COOH-terminal SH2 domain. A number of additional proteins have been identified that associate with SLP-76 both constitutively and inducibly following receptor ligation supporting the notion that SLP-76 functions as an adaptor or scaffold protein. Studies using SLP-76 deficient T c

Recommended Dilution

WB: 1: 1000 - 1: 2000

Not yet tested in other applications.

Images

No images.

Storage

-20°C for 1 year