

## VEGF Receptor 2(Phospho-Tyr996) Rabbit Polyclonal Antibody

### Description

<b>Product type</b>	Primary Antibody
<b>Code</b>	BT-AP05448
<b>Host</b>	Rabbit
<b>Isotype</b>	IgG
<b>Size</b>	100ul, 50ul, 20ul
<b>Immunogen</b>	Synthesized phosho peptide around human VEGF Receptor 2 (Tyr996)
<b>Mol wt</b>	N/A
<b>Species reactivity</b>	Human, Mouse
<b>Clonality</b>	Polyclonal
<b>Recommended application</b>	WB
<b>Concentration</b>	1 mg/ml
<b>Full name</b>	VEGF Receptor 2
<b>Synonyms</b>	VEGF Receptor 2 ;Tyr996; Vascular endothelial growth factor receptor 2; VEGFR-2; EC 2.7.10.1; Fetal liver kinase 1; FLK-1; Kinase insert domain receptor; KDR; Protein-tyrosine kinase receptor flk-1; CD antigen CD309

This product is for research use only, not for use in human, therapeutic or diagnostic procedure.

### Background

Vascular endothelial growth factor (VEGF) is a major growth factor for endothelial cells. This gene encodes one of the two receptors of the VEGF. This receptor| known as kinase insert domain receptor| is a type III receptor tyrosine kinase. It functions as the main mediator of VEGF-induced endothelial proliferation| survival| migration| tubular morphogenesis and sprouting. The signalling and trafficking of this receptor are regulated by multiple factors| including Rab GTPase| P2Y purine nucleotide receptor| integrin alphaVbeta3| T-cell protein tyrosine phosphatase| etc.. Mutations of this gene are implicated in infantile capillary hemangiomas.

### Recommended Dilution

WB: 1: 1000 - 1: 2000

Not yet tested in other applications.

### Images

No images.

### Storage

-20°C for 1 year

501 Changsheng S Rd, Nanhu Dist, Jiaxing, Zhejiang, China

Tel: 86 21 31007137 | E-mail: [save@bt-laboratory.com](mailto:save@bt-laboratory.com) | [www.bt-laboratory.com](http://www.bt-laboratory.com)