

# Olfactory receptor 10T2 Polyclonal Antibody

## Description

Product type	Primary Antibody
Code	BT-AP06370
Host	Rabbit
Isotype	IgG
Size	20ul, 50ul, 100ul
Immunogen	The antiserum was produced against synthesized peptide derived from human OR10T2. AA range:231-280
Mol wt	35011
Species reactivity	Human
Clonality	Polyclonal
Recommended application	WB, ELISA
Concentration	l mg/ml
Full name	Olfactory receptor 10T2 Antibody
Synonyms	OR10T2; Olfactory receptor 10T2; Olfactory receptor OR1-3
This product is far research use only, not far use in human, thereproduce or discrete procedure	

This product is for research use only, not for use in human, therapeutic or diagnostic procedure.


## Background

Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms.

### **Recommended Dilution**

WB: 1: 500 - 1: 2000 ELISA: 1: 20000 Not yet tested in other applications.

#### Images



Western Blot analysis of 293T-UV cells using Olfactory receptor 10T2 Polyclonal Antibody diluted at 1:500

Western blot analysis of lysates from HUVEC and COLO cells, using OR10T2 Antibody. The lane on the right is blocked with the synthesized peptide.

501 Changsheng S Rd, Nanhu Dist, Jiaxing, Zhejiang, China

Tel: 86 21 31007137 | E-mail: save@bt-laboratory.com | www.bt-laboratory.com