

## Olfactory receptor 2T10 Polyclonal Antibody

### Description

|                         |  |
|-------------------------|--|
| Product type            | Primary Antibody   |
| Code                    | BT-AP06423   |
| Host                    | Rabbit   |
| Isotype                 | IgG  |
| Size                    | 20ul, 50ul, 100ul  |
| Immunogen               | The antiserum was produced against synthesized peptide derived from human OR2T10. AA range:141-190 |
| Mol wt                  | 35403  |
| Species reactivity      | Human  |
| Clonality               | Polyclonal   |
| Recommended application | IF, ELISA  |
| Concentration           | 1 mg/ml  |
| Full name               | Olfactory receptor 2T10 Antibody   |
| Synonyms                | OR2T10; Olfactory receptor 2T10; Olfactory receptor OR1-64   |

**This product is for research use only, not for use in human, therapeutic or diagnostic procedure.**

### Background

Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms.


### Recommended Dilution

IF: 1: 200 - 1: 1000

ELISA: 1: 5000

Not yet tested in other applications.

### Images



Immunofluorescence analysis of MCF7 cells, using OR2T10 Antibody. The picture on the right is blocked with the synthesized peptide.

### Storage

-20°C for one year