

Olfactory receptor 7C2 Polyclonal Antibody

Description

Product type	Primary Antibody
Code	BT-AP06541
Host	Rabbit
Isotype	IgG
Size	20ul, 50ul, 100ul
Immunogen	The antiserum was produced against synthesized peptide derived from human OR7C2. AA range:198-247
Mol wt	35323
Species reactivity	Human
Clonality	Polyclonal
Recommended application	WB, ELISA
Concentration	l mg/ml
Full name	Olfactory receptor 7C2 Antibody
Synonyms	OR7C2; OR7C3; Olfactory receptor 7C2; Olfactory receptor 19-18; OR19-18; Olfactory receptor 7C3;
	Olfactory receptor OR19-22

This product is for research use only, not for use in human, therapeutic or diagnostic procedure.


Background

Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms.

Recommended Dilution


WB: 1: 500 - 1: 2000 ELISA: 1: 10000 Not yet tested in other applications.

Images



Western blot analysis of lysates from HUVEC cells, using OR7C2 Antibody. The lane on the right is blocked with the synthesized peptide.

Western blot analysis of the lysates from HeLa cells using OR7C2 antibody.



Storage

-20°C for one year

501 Changsheng S Rd, Nanhu Dist, Jiaxing, Zhejiang, China

Tel: 86 21 31007137 | E-mail: save@bt-laboratory.com | www.bt-laboratory.com