

PGI2 synthase Polyclonal Antibody

Description

Product type	Primary Antibody
Code	BT-AP07100
Host	Rabbit
Isotype	IgG
Size	20ul, 50ul, 100ul
Immunogen	Synthesized peptide derived from the C-terminal region of human PGI2 synthase.
Mol wt	57104
Species reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Recommended application	WB, ELISA
Concentration	1 mg/ml
Full name	PGI2 synthase Antibody
Synonyms	PTGIS; CYP8; CYP8A1; Prostacyclin synthase; Prostaglandin I2 synthase

This product is for research use only, not for use in human, therapeutic or diagnostic procedure.

Background

PTGIS (prostaglandin I2 (prostacyclin) synthase) encodes a member of the cytochrome P450 superfamily of enzymes. The cytochrome P450 proteins are monooxygenases which catalyze many reactions involved in drug metabolism and synthesis of cholesterol, steroids and other lipids. However, this protein is considered a member of the cytochrome P450 superfamily on the basis of sequence similarity rather than functional similarity. This endoplasmic reticulum membrane protein catalyzes the conversion of prostglandin H2 to prostacyclin (prostaglandin I2), a potent vasodilator and inhibitor of platelet aggregation. An imbalance of prostacyclin and its physiological antagonist thromboxane A2 contribute to the development of myocardial infarction, stroke, and atherosclerosis.

Recommended Dilution

WB: 1: 500 - 1: 2000

ELISA: 1: 40000

Not yet tested in other applications.

Images

No images.

Storage

-20°C for one year