

## IFM2 Polyclonal Antibody

### Description

|                                |  |
|--------------------------------|--|
| <b>Product type</b>            | Primary Antibody   |
| <b>Code</b>                    | BT-AP08686   |
| <b>Host</b>                    | Rabbit   |
| <b>Isotype</b>                 | IgG  |
| <b>Size</b>                    | 20ul, 50ul, 100ul  |
| <b>Immunogen</b>               | Synthesized peptide derived from human protein . at AA range: 30-110   |
| <b>Mol wt</b>                  | N/A  |
| <b>Species reactivity</b>      | Human, Rat, Mouse  |
| <b>Clonality</b>               | Polyclonal   |
| <b>Recommended application</b> | WB, ELISA  |
| <b>Concentration</b>           | 1 mg/ml  |
| <b>Full name</b>               | Interferon-induced transmembrane protein 2   |
| <b>Synonyms</b>                | Interferon-induced transmembrane protein 2 (Dispanin subfamily A member 2c;DSPA2c;Interferon-inducible protein 1-8D) |

This product is for research use only, not for use in human, therapeutic or diagnostic procedure.

### Background

induction:By alpha and gamma interferons.|Belongs to the CD225 family.|

### Recommended Dilution


WB: 1: 500 - 1: 2000

ELISA: 1: 5000 - 1: 20000

ELISA: 1: 20000

Not yet tested in other applications.

### Images



Western blot analysis of lysates from SW480 cells, primary antibody was diluted at 1:1000, 4°C overnight

### Storage

-20°C for 1 year