

TAGAP Polyclonal Antibody

Description

Product type	Primary Antibody
Code	BT-AP08808
Host	Rabbit
Isotype	IgG
Size	20ul, 50ul, 100ul
Immunogen	The antiserum was produced against synthesized peptide derived from human TAGAP. AA range:191-240
Mol wt	80703
Species reactivity	Human
Clonality	Polyclonal
Recommended application	IHC-p, ELISA
Concentration	1 mg/ml
Full name	TAGAP Antibody
Synonyms	TAGAP; TAGAP1; FKSG15; T-cell activation Rho GTPase-activating protein; T-cell activation GTPase-activating protein

This product is for research use only, not for use in human, therapeutic or diagnostic procedure.

Background

TAGAP encodes a member of the Rho GTPase-activator protein superfamily. The T-cell activation RhoGTPase activating protein may function as a Rho GTPase-activating protein. Alterations in this gene may be associated with several diseases, including rheumatoid arthritis, celiac disease, and multiple sclerosis. Alternate splicing results in multiple transcript variants encoding distinct isoforms.


Recommended Dilution

IHC: 1: 100 - 1: 300

ELISA: 1: 5000

Not yet tested in other applications.

Images



Immunohistochemistry analysis of paraffin-embedded human breast carcinoma, using TAGAP Antibody. The picture on the right is blocked with the synthesized peptide.

Storage

-20°C for one year

501 Changsheng S Rd, Nanhu Dist, Jiaxing, Zhejiang, China

Tel: 86 21 31007137 | E-mail: save@bt-laboratory.com | www.bt-laboratory.com