

## NFIP2 Polyclonal Antibody

### Description

<b>Product type</b>	Primary Antibody
<b>Code</b>	BT-AP09119
<b>Host</b>	Rabbit
<b>Isotype</b>	IgG
<b>Size</b>	20ul, 50ul, 100ul
<b>Immunogen</b>	Synthesized peptide derived from part region of human protein
<b>Mol wt</b>	N/A
<b>Species reactivity</b>	Human, Rat, Mouse
<b>Clonality</b>	Polyclonal
<b>Recommended application</b>	WB, ELISA
<b>Concentration</b>	1 mg/ml
<b>Full name</b>	NEDD4 family-interacting protein 2
<b>Synonyms</b>	NEDD4 family-interacting protein 2 (NEDD4 WW domain-binding protein 5A;Putative MAPK-activating protein PM04/PM05/PM06/PM07;Putative NF-kappa-B-activating protein 413)

This product is for research use only, not for use in human, therapeutic or diagnostic procedure.

### Background

May be involved in endocytosis. Regulates ENaC surface expression (By similarity). May be involved in NF-kappa-B and MAPK signaling pathways.|induction:By T-cell activation.|PTM:Ubiquitinated by NEDD4 or NEDD4L; which does not affect turnover.|subunit:Interacts with NEDD4L (By similarity). Interacts with NEDD4.|tissue specificity:Expressed in brain| lung| heart| skeletal muscle| kidney| liver and placenta.|

### Recommended Dilution


WB: 1: 500 - 1: 2000

ELISA: 1: 5000 - 1: 20000

ELISA: 1: 20000

Not yet tested in other applications.

### Images



Western blot analysis of lysates from PC12 cells, primary antibody was diluted at 1:1000, 4°C overnight

### Storage

-20°C for 1 year