

HIC2 Polyclonal Antibody

Description

Product type	Primary Antibody
Code	BT-AP09887
Host	Rabbit
Isotype	IgG
Size	100ul, 50ul, 20ul
Immunogen	Synthesized peptide derived from part region of human protein
Mol wt	N/A
Species reactivity	Human, Mouse
Clonality	Polyclonal
Recommended application	WB, ELISA
Concentration	1 mg/ml
Full name	Hypermethylated in cancer 2 protein
Synonyms	Hypermethylated in cancer 2 protein ;Hic-2;HIC1-related gene on chromosome 22 protein;Hic-3;Zinc finger and BTB domain-containing protein 30

This product is for research use only, not for use in human, therapeutic or diagnostic procedure.

Background

Transcriptional repressor.,Belongs to the krueppel C2H2-type zinc-finger protein family. Hic subfamily.,Contains 1 BTB (POZ) domain.,Contains 5 C2H2-type zinc fingers.,subunit:Interacts with CtBP.,tissue specificity:Highest levels in cerebellum.,

Recommended Dilution

WB: 1: 500 - 1: 2000

ELISA: 1: 5000 - 1: 20000

Not yet tested in other applications.

Images

No images.

Storage

-20°C for 1 year

501 Changsheng S Rd, Nanhu Dist, Jiaxing, Zhejiang, China

Tel: 86 21 31007137 | E-mail: save@bt-laboratory.com | www.bt-laboratory.com