

IL-17D Polyclonal Antibody

Description

Product type Primary Antibody

Code BT-AP10293

Host Rabbit

Isotype IgG

Size 20ul, 50ul, 100ul

Immunogen Synthetic peptide from human protein at AA range: 141-190

Mol wt N/A

Species reactivity Human, Rat, Mouse

Clonality Polyclonal

Recommended application IHC-p, IF, ELISA

Concentration 1 mg/ml

Full name Interleukin-17D

Synonyms Interleukin-17D; IL-17D; Interleukin-27; IL-27; Interleukin-17D; IL-17D; Interleukin-27; IL-27

This product is for research use only, not for use in human, therapeutic or diagnostic procedure.

Background

The protein encoded by this gene is a cytokine that shares the sequence similarity with IL17. The treatment of endothelial cells with this cytokine has been shown to stimulate the production of other cytokines including IL6, IL8 and CSF2/GM-CSF. The increased expression of IL8 induced by this cytokine was found to be NF-kappa B-dependent.


Recommended Dilution

IHC-p: 1: 50 - 1: 200

ELISA: 1: 10000 - 1: 20000

Not yet tested in other applications.


Images



Immunohistochemical analysis of paraffin-embedded Human-tonsil, antibody was diluted at 1:100



Immunohistochemical analysis of paraffin-embedded Human-tonsil, antibody was diluted at 1:100



Immunohistochemical analysis of paraffin-embedded Human-brain, antibody was diluted at 1:100

Storage

-20°C for 1 year

501 Changsheng S Rd, Nanhu Dist, Jiaxing, Zhejiang, China Tel: 86 21 31007137 | E-mail: save@bt-laboratory.com | www.bt-laboratory.com