

IL-17 Rabbit Polyclonal Antibody

Description

Product type	Primary Antibody
Code	BT-AP10566
Host	Rabbit
Isotype	IgG
Size	100ul, 50ul, 20ul
Immunogen	Synthesized peptide derived from human IL-17
Mol wt	17050
Species reactivity	Human, Rat, Mouse
Clonality	Polyclonal
Recommended application	WB, ELISA
Concentration	1 mg/ml
Full name	IL-17
Synonyms	IL-17; Interleukin-17A; IL-17; IL-17A; Cytotoxic T-lymphocyte-associated antigen 8; CTLA-8

This product is for research use only, not for use in human, therapeutic or diagnostic procedure.

Background

Induces stromal cells to produce proinflammatory and hematopoietic cytokines. Enhances the surface expression of the intracellular adhesion molecule-1 (ICAM-1) in fibroblasts. [online information: Interleukin-17 entry | PTM: Found both in glycosylated and nonglycosylated forms. | Belongs to the IL-17 family. | subunit: Homodimer. | tissue specificity: Restricted to activated memory T-cells.]

Recommended Dilution

WB: 1: 1000 - 1: 2000

ELISA: 1: 5000 - 1: 20000

Not yet tested in other applications.

Images

No images.

Storage

-20°C for 1 year

501 Changsheng S Rd, Nanhu Dist, Jiaxing, Zhejiang, China

Tel: 86 21 31007137 | E-mail: save@bt-laboratory.com | www.bt-laboratory.com