

MED9 Polyclonal Antibody

Description

Product type	Primary Antibody
Code	BT-AP11222
Host	Rabbit
Isotype	IgG
Size	20ul, 50ul, 100ul
Immunogen	Synthesized peptide derived from human protein . at AA range: 70-150
Mol wt	N/A
Species reactivity	Human, Mouse
Clonality	Polyclonal
Recommended application	WB, ELISA
Concentration	l mg/ml
Full name	Mediator of RNA polymerase II transcription subunit 9
Synonyms	Mediator of RNA polymerase II transcription subunit 9 ;Mediator complex subunit 9

This product is for research use only, not for use in human, therapeutic or diagnostic procedure.


Background

The multiprotein Mediator complex is a coactivator required for activation of RNA polymerase II transcription by DNA bound transcription factors. The protein encoded by this gene is thought to be a subunit of the Mediator complex. This gene is located within the Smith-Magenis syndrome region on chromosome 17.

Recommended Dilution

WB: 1: 500 - 1: 2000 ELISA: 1: 5000 - 1: 20000 Not yet tested in other applications.

Images



Western blot analysis of lysates from DU145 cells, primary antibody was diluted at 1:1000, 4°C overnight

Storage -20°C for 1 year

> 501 Changsheng S Rd, Nanhu Dist, Jiaxing, Zhejiang, China Tel: 86 21 31007137 | E-mail: save@bt-laboratory.com | www.bt-laboratory.com