

# Smad2(Phospho Ser250) Polyclonal Antibody

### Description

Product type Primary Antibody

Code BT-AP14290

Host Rabbit

Isotype IgG

Size 20ul, 50ul, 100ul

Immunogen The antiserum was produced against synthesized peptide derived from human Smad2 around the

phosphorylation site of Ser250. AA range:216-265

Mol wt 52306

Species reactivity Human, Mouse, Rat

Clonality Polyclonal

Recommended application WB, ELISA

Concentration 1 mg/ml

Full name Mothers against decapentaplegic homolog 2

Synonyms Mothers against decapentaplegic homolog 2; SMAD2; MADH2; MADR2; Mothers against decapentaplegic

homolog 2; MAD homolog 2; Mothers against DPP homolog 2; JV18-1; Mad-related protein 2; hMAD-2;

 $SMAD\ family\ member\ 2;\ SMAD\ 2;\ Smad\ 2;\ hSMAD\ 2$ 

This product is for research use only, not for use in human, therapeutic or diagnostic procedure.

### Background


The protein encoded by this gene belongs to the SMAD, a family of proteins similar to the gene products of the Drosophila gene 'mothers against decapentaplegic' (Mad) and the C. elegans gene Sma. SMAD proteins are signal transducers and transcriptional modulators that mediate multiple signaling pathways. This protein mediates the signal of the transforming growth factor (TGF)-beta, and thus regulates multiple cellular processes, such as cell proliferation, apoptosis, and differentiation. This protein is recruited to the TGF-beta receptors through its interaction with the SMAD anchor for receptor activation (SARA) protein. In response to TGF-beta signal, this protein is phosphorylated by the TGF-beta receptors. The phosphorylation induces the dissociation of this protein with SARA and the association with the family member SMAD4. The association with SMAD4 is important for the translocation

## Recommended Dilution

WB: 1: 500 - 1: 2000 ELISA: 1: 10000

Not yet tested in other applications.

#### Images



Western blot analysis of lysates from 293 cells treated with PMA 125ng/ml 30', using Smad2 (Phospho-Ser250)

Antibody. The lane on the right is blocked with the phospho peptide.

# Storage

-20°C for 1 year

501 Changsheng S Rd, Nanhu Dist, Jiaxing, Zhejiang, China Tel: 86 21 31007137 | E-mail: save@bt-laboratory.com | www.bt-laboratory.com