

CD16 Polyclonal Antibody

Description

Product type	Primary Antibody
Code	BT-AP14800
Host	Rabbit
Isotype	lgG
Size	20ul, 50ul, 100ul
Immunogen	Synthetic peptide from human protein at AA range: 100-150
Mol wt	N/A
Species reactivity	Human, Rat, Mouse
Clonality	Polyclonal
Recommended application	IHC-p, IF, ELISA
Concentration	1 mg/ml
Full name	Low affinity immunoglobulin gamma Fc region receptor III-A/B
Synonyms	Low affinity immunoglobulin gamma Fc region receptor III-A/B ;CD16a/b antigen;Fc-gamma RIII- alpha/beta;Fc-gamma RIII;Fc-gamma RIIIa;FcRIII;FcRIIIa;FcR-10;IgG Fc receptor III-2;CD antig

This product is for research use only, not for use in human, therapeutic or diagnostic procedure.


Background

This gene encodes a receptor for the Fc portion of immunoglobulin G, and it is involved in the removal of antigen-antibody complexes from the circulation, as well as other other antibody-dependent responses. This gene (FCGR3A) is highly similar to another nearby gene (FCGR3B) located on chromosome 1. The receptor encoded by this gene is expressed on natural killer (NK) cells as an integral membrane glycoprotein anchored through a transmembrane peptide, whereas FCGR3B is expressed on polymorphonuclear neutrophils (PMN) where the receptor is anchored through a phosphatidylinositol (PI) linkage. Mutations in this gene have been linked to susceptibility to recurrent viral infections, susceptibility to systemic lupus erythematosus, and alloimmune neonatal neutropenia. Alternatively spliced transcript variants encoding different isoforms have been found for this gene.

Recommended Dilution

IHC-p: 1: 50 - 1: 200 ELISA: 1: 10000 - 1: 20000 Not yet tested in other applications.

Images



Immunohistochemical analysis of paraffin-embedded human-kidney, antibody was diluted at 1:200

Immunohistochemical analysis of paraffin-embedded human-brain, antibody was diluted at 1:200

Immunohistochemical analysis of paraffin-embedded human-brain, antibody was diluted at 1:200



Storage -20°C for 1 year

> 501 Changsheng S Rd, Nanhu Dist, Jiaxing, Zhejiang, China Tel: 86 21 31007137 | E-mail: save@bt-laboratory.com | www.bt-laboratory.com