

ZAP-70(Phospho Tyr292) Polyclonal Antibody

Description

Product type Primary Antibody

Code BT-AP15598

Host Rabbit

Isotype IgG

Size 20ul, 50ul, 100ul

Immunogen The antiserum was produced against synthesized peptide derived from human ZAP-70 around the

phosphorylation site of Tyr292. AA range:258-307

Mol wt 69872

Species reactivity Human, Mouse

Clonality Polyclonal

Recommended application WB, ELISA

Concentration 1 mg/ml

Full name Tyrosine-protein kinase ZAP-70

Synonyms Tyrosine-protein kinase ZAP-70; ZAP70; SRK; Tyrosine-protein kinase ZAP-70; 70 kDa zeta-chain

associated protein; Syk-related tyrosine kinase

This product is for research use only, not for use in human, therapeutic or diagnostic procedure.

Background


This gene encodes an enzyme belonging to the protein tyrosine kinase family, and it plays a role in T-cell development and lymphocyte activation. This enzyme, which is phosphorylated on tyrosine residues upon T-cell antigen receptor (TCR) stimulation, functions in the initial step of TCR-mediated signal transduction in combination with the Src family kinases, Lck and Fyn. This enzyme is also essential for thymocyte development. Mutations in this gene cause selective T-cell defect, a severe combined immunodeficiency disease characterized by a selective absence of CD8-positive T-cells. Two transcript variants that encode different isoforms have been found for this gene.

Recommended Dilution

WB: 1: 500 - 1: 2000 ELISA: 1: 5000

Not yet tested in other applications.

Images



Western blot analysis of lysates from Jurkat cells treated with UV 15', using ZAP-70 (Phospho-Tyr292) Antibody. The lane on the right is blocked with the phospho peptide.

Storage

-20°C for 1 year