

FNBP4 Polyclonal Antibody

Description

Product type	Primary Antibody
Code	BT-AP15642
Host	Rabbit
Isotype	IgG
Size	100ul, 50ul, 20ul
Immunogen	Synthesized peptide derived from part region of human protein
Mol wt	N/A
Species reactivity	Human, Mouse
Clonality	Polyclonal
Recommended application	WB, ELISA
Concentration	1 mg/ml
Full name	Formin-binding protein 4
Synonyms	Formin-binding protein 4 ;Formin-binding protein 30

This product is for research use only, not for use in human, therapeutic or diagnostic procedure.

Background

These WW domains interact with Arg/Gly-rich-flanked Pro-rich domains found in several WW domain-binding proteins (WBPs). The N-terminal WW domain has the greater ligand-binding ability. PTM: Phosphorylated upon DNA damage, probably by ATM or ATR. Contains 2 WW domains. subunit: Binds FMN1. Interacts with the Arg/Gly-rich-flanked Pro-rich of KHDRBS1/SAM68. Arginine methylation in these regions has no effect on this binding.

Recommended Dilution

WB: 1: 500 - 1: 2000

ELISA: 1: 5000 - 1: 20000

Not yet tested in other applications.

Images

No images.

Storage

-20°C for 1 year

501 Changsheng S Rd, Nanhui Dist, Jiaying, Zhejiang, China

Tel: 86 21 31007137 | E-mail: save@bt-laboratory.com | www.bt-laboratory.com