

Catenin-Beta Monoclonal Antibody

Description

Product type	Primary Antibody
Code	BT-MCA0261
Host	Mouse
Isotype	IgG
Size	50ul, 100ul
Immunogen	Purified recombinant fragment of human Catenin-Beta expressed in E. Coli.
Mol wt	N/A
Species reactivity	Human
Clonality	Monoclonal
Recommended application	WB, IHC-p, IF, ICC, FCM, ELISA
Concentration	1 mg/ml
Full name	Catenin beta-1
Synonyms	CTNNB1; CTNNB; OK; SW-cl.35; Catenin beta-1; Beta-catenin
This and the factor of the second second for the factor of the second second second second second second second	

This product is for research use only, not for use in human, therapeutic or diagnostic procedure.


Background

The protein encoded by this gene is part of a complex of proteins that constitute adherens junctions (AJs). AJs are necessary for the creation and maintenance of epithelial cell layers by regulating cell growth and adhesion between cells. The encoded protein also anchors the actin cytoskeleton and may be responsible for transmitting the contact inhibition signal that causes cells to stop dividing once the epithelial sheet is complete. Finally, this protein binds to the product of the APC gene, which is mutated in adenomatous polyposis of the colon. Mutations in this gene are a cause of colorectal cancer (CRC), pilomatrixoma (PTR), medulloblastoma (MDB), and ovarian cancer. Alternative splicing results in multiple transcript variants.

Recommended Dilution


FC: 1:200 - 1:400 IF: 1:200 - 1:1000 IHC: 1:200 - 1:1000 WB: 1:500 - 1:2000 Not yet tested in other applications.


Images



Western Blot analysis using Catenin-Beta Monoclonal antibody against CTNNB1-hIgGFc transfected HEK293 cell lysate.

Immunohistochemistry analysis of paraffin-embedded human Placenta tissues with AEC staining using Catenin-Beta Monoclonal antibody.





Immunofluorescence analysis of A549 (left) and SK-BR-3 (right) cells using Catenin-Beta Monoclonal antibody (green). Red: Actin filaments have been labeled with DY-554 phalloidin. Blue: DRAQ5 fluorescent DNA dye.

Flow cytometric analysis of A549 cells using Catenin-Beta Monoclonal antibody (green) and negative control (purple).

Storage -20°C for one year

501 Changsheng S Rd, Nanhu Dist, Jiaxing, Zhejiang, China Tel: 86 21 31007137 | E-mail: save@bt-laboratory.com | www.bt-laboratory.com