

FH Fumarase Monoclonal Antibody(2B11)

Description

Product type Primary Antibody

Code BT-MCA0536

Host Mouse

Isotype IgG

Size 20ul, 50ul, 100ul

Immunogen Recombinant Protein of FH Fumarase

Mol wt N/A

Species reactivity Human, Mouse, Rat

Clonality Monoclonal

Recommended application WB, IF, ICC

Concentration 1 mg/ml

Full name Fumarate hydratase, mitochondrial

Synonyms Fumarate hydratase; mitochondrial

This product is for research use only, not for use in human, therapeutic or diagnostic procedure.

Background


The protein encoded by this gene is an enzymatic component of the tricarboxylic acid (TCA) cycle, or Krebs cycle, and catalyzes the formation of L-malate from fumarate. It exists in both a cytosolic form and an N-terminal extended form, differing only in the translation start site used. The N-terminal extended form is targeted to the mitochondrion, where the removal of the extension generates the same form as in the cytoplasm. It is similar to some thermostable class II fumarases and functions as a homotetramer. Mutations in this gene can cause fumarase deficiency and lead to progressive encephalopathy.

Recommended Dilution

WB: 1:1000-2000

Not yet tested in other applications.

Images



Western blot analysis of 1) Mouse Brain Tissue, 2) Rat Brain tissue diluted at 1:2000.

Storage

-20°C for one year