

Galectin-3 Monoclonal Antibody(8D7)

Description

Product type Primary Antibody

Code BT-MCA0584

Host Mouse

Isotype IgG

Size 20ul, 50ul, 100ul

Immunogen Protein

Mol wt N/A

Species reactivity Human, Mouse

Clonality Monoclonal

Recommended application WB, IHC-p, IF, ELISA

Concentration 1 mg/ml

Full name Galectin-3

Synonyms LGALS3; MAC2; Galectin-3; Gal-3; 35 kDa lectin; Carbohydrate-binding protein 35; CBP 35; Galactose-

specific lectin 3; Galactoside-binding protein; GALBP; IgE-binding protein; L-31; Laminin-binding

protein; Lectin L-29; Mac-2 antigen

This product is for research use only, not for use in human, therapeutic or diagnostic procedure.

Background


This gene encodes a member of the galectin family of carbohydrate binding proteins. Members of this protein family have an affinity for beta-galactosides. The encoded protein is characterized by an N-terminal proline-rich tandem repeat domain and a single C-terminal carbohydrate recognition domain. This protein can self-associate through the N-terminal domain allowing it to bind to multivalent saccharide ligands. This protein localizes to the extracellular matrix, the cytoplasm and the nucleus. This protein plays a role in numerous cellular functions including apoptosis, innate immunity, cell adhesion and T-cell regulation. The protein exhibits antimicrobial activity against bacteria and fungi. Alternate splicing results in multiple transcript variants.

Recommended Dilution


IHC: 1:100-200 WB: 1:2000-5000

Not yet tested in other applications.


Images



Western blot analysis of 1)MCF7, 2) 3T3 with Galectin-3 Mouse Monoclonal antibody diluted at 1:2.000.



Immunohistochemical analysis of paraffin-embedded human-colon using antibody diluted at 1:50.



Storage

-20°C for one year

501 Changsheng S Rd, Nanhu Dist, Jiaxing, Zhejiang, China

Tel: 86 21 31007137 | E-mail: save@bt-laboratory.com | www.bt-laboratory.com