

HGK Monoclonal Antibody

Description

Product type	Primary Antibody
Code	BT-MCA0674
Host	Mouse
Isotype	IgG
Size	50ul, 100ul
Immunogen	Purified recombinant fragment of HGK (aa400-500) expressed in E. Coli.
Mol wt	N/A
Species reactivity	Human
Clonality	Monoclonal
Recommended application	WB, ELISA
Concentration	1 mg/ml
Full name	Mitogen-activated protein kinase kinase kinase 4
Synonyms	MAP4K4; HGK; KIAA0687; NIK; Mitogen-activated protein kinase kinase kinase kinase 4; HPK; GCK- like kinase HGK; MAPK; ERK kinase kinase kinase 4; MEK kinase kinase 4; MEKKK 4; Nck-interacting kinase

This product is for research use only, not for use in human, therapeutic or diagnostic procedure.


Background

The protein encoded by this gene is a member of the serine/threonine protein kinase family. This kinase has been shown to specifically activate MAPK8/JNK. The activation of MAPK8 by this kinase is found to be inhibited by the dominant-negative mutants of MAP3K7/TAK1, MAP2K4/MKK4, and MAP2K7/MKK7, which suggests that this kinase may function through the MAP3K7-MAP2K4-MAP2K7 kinase cascade, and mediate the TNF-alpha signaling pathway. Alternatively spliced transcript variants encoding different isoforms have been identified.

Recommended Dilution

ELISA: 1:10000 WB: 1:500 - 1:2000 Not yet tested in other applications.

Images



Western Blot analysis using HGK Monoclonal antibody against truncated Trx-HGK recombinant protein (1) MBP-HGK (aa300-400) recombinant protein (2) and HGK(aa194-436)-hIgGFc transfected CH0-K1 cell lysate(3).

Storage -20°C for one year

> 501 Changsheng S Rd, Nanhu Dist, Jiaxing, Zhejiang, China Tel: 86 21 31007137 | E-mail: save@bt-laboratory.com | www.bt-laboratory.com