

Optimize Your Research

# Recombinant Human Endothelial-Monocyte Activating Polypeptide II protein

Code CD01877

**Storage:** This lyophilized preparation is stable at 2-8°C, but should be kept at -20°C for long term storage, preferably desiccated. Upon reconstitution, the preparation is stable for up to one week at 2-8°C. For maximal stability, apportion the reconstituted preparation into working aliquots and store at -20°C to -70°C. Avoid repeated freeze/thaw cycles.

## Intended Use

This product is for research use only, not for use in diagnosis procedures. It is highly recommended to read this instruction entirely before the use.

## Source

Escherichia coli.

## Molecular Weight

Approximately 18.2 kDa, a single non-glycosylated polypeptide chain containing 166 amino acids.

## Purity

> 98 % by SDS-PAGE and HPLC analyses.

## Biological Activity

Fully biologically active when compared to standard. The ED50 as determined by the apoptotic effect using serum free human MCF-7 cells is less than 40 ng/ml, corresponding to a specific activity of  $> 2.5 \times 10^4$  IU/mg.

## Physical Appearance

Sterile Filtered White lyophilized (freeze-dried) powder.

## Formulation

Lyophilized from a 0.2 µm filtered concentrated solution in PBS, pH 7.4.

## Sequence

SKPIDVSRLD LRIGCIITAR KHPDADSLYV EEVDVGEIAP RTVVSGLVNH VPLEQMQRNM VILLCNLKPA KMRGVLSQAM VMCASSPEKI EILAPPNGSV PGDRITFDFAF PGEPDKELNP KKKIWEQIQP DLHTNDECVA TYKGVPFVEVK GKGVCRAQTM SNSGIK

## Endotoxin

Less than 1 EU/µg of rHuEMAP-II as determined by LAL method.

## Reconstitution

We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Reconstitute in sterile distilled water or aqueous buffer containing 0.1 % BSA to a concentration of 0.1-1.0 mg/mL. Stock solutions should be apportioned into working aliquots and stored at  $\leq -20$  °C. Further dilutions should be made in appropriate buffered solutions.

If you have any question on order please contact us via: [order@bt-laboratory.com](mailto:order@bt-laboratory.com); technical assistance please contact us via: [support@bt-laboratory.com](mailto:support@bt-laboratory.com) More product visit [www.bt-laboratory.com](http://www.bt-laboratory.com)